

DOSP6390X

Oven, Classic, Double in column, Thermo-ventilated, Static, Stainless steel, A, A, Pyrolytic



EASY CLEAN ENAMEL INTERIOR

The enamel finish of the oven cavity has a special antacid lining which helps to reduce the amount of dirt adhering to the surface.

CLOSED DOOR GRILLING


Closed door grilling allows you to grill with the door closed, keeping cooking smells inside the oven and out of the kitchen to ensure a safe cooking environment and reduced energy consumption.

ECLIPSE BLACK GLASS

Eclipse black glass is an innovative, premium material which appears jet black when the oven is off, yet transparent when the oven is turned on, offering enhanced visibility into the oven cavity to check on cooking progress with ease.

5 COOKING LEVELS

5 different cooking levels guarantee maximum flexibility, allowing you to cook different dishes at the same time. Ideal when you need to quickly prepare more dishes or large quantities of food.



TYPE

Product Family: Oven • Category: Double in column • Cooking Method Secondary Oven: Static • Cooking Method: Thermo-ventilated • Power supply: Electric • EAN code: 8017709210656 • Cleaning system: Pyrolytic

AESTHETICS

Colour: Stainless steel • Finishing: Fingerproof • Aesthetics: Classic • Material: Stainless steel • Type of steel: Brushed • Glass Type: Eclipse • Door: With 2 horizontal strips • Handle: Classic • Handle Colour: Stainless steel

PROGRAMME / FUNCTIONS

No. of cooking functions: 8 • Traditional cooking functions: Static, Fan assisted, Ciculaire, Turbo (ciculaire + bottom + upper + fan), ECO, Large grill, Fan grill (large), Base, Fan assisted base • Other functions: Defrost, Defrost by time, Defrost by weight, Proving, Sabbath • Cleaning functions: Pyrolytic, Pyrolytic eco

CONTROLS

Display: Yes • Control setting: Control knobs • No. of controls: 4 • Control knobs: Classic • Controls colour: Steel effect

PROGRAMS / FUNCTIONS AUXILIARY OVEN

No. of cooking functions secondary oven: 4 • Traditional cooking functions, cavity 2: Static, ECO, Small grill, Large grill

OPTIONS

Time-setting options: Delay start and automatic end cooking • Minute minder: Yes • Limited Power Consumption Mode: Yes •

Showroom demo option: Yes • Rapid pre-heating: Yes • Controls Lock / Child Safety: Yes

TECHNICAL FEATURES

Display technology: LCD • Temperature control: Electronic • Minimum Temperature: 30 °C • Maximum temperature: 280 °C •

Cavity material: Easy clean enamel • Shelf positions: 5 • Shelves type: Metal racks • No. of lights: 1 • Light type: Halogen • Light power: 40 W • Light when door is opened: Yes • Door: Cool • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • Total no. of door glasses: 4 • Safety Thermostat: Yes • Cooling system: Tangential • Door Lock During Pyrolysis: Yes • Heating suspended when door is opened: Yes • Lower heating element power: 1200 W • Upper heating element - Power: 1000 W • Grill element - power: 1700 W • Large grill - Power: 2700 W • Circular heating element - Power: 2000 W

SECOND OVEN TECHNICAL FEATURES

No. of lights: 1 • Maximum temperature: 270 °C • Light type: Halogen • Shelf positions: 2 • Light power: 40 W • Minimum Temperature: 50 °C • Tiliting grill: Yes • Time-setting options: No delay options • Removable door: Yes • Removable inner door: Yes • No. of total door glasses: 3 • No. of thermoreflecting door glasses: 1 • Bottom heating element power: 1200 W • Upper heating element - Power: 1000 W • Grill element - power: 1700 W • Large grill - Power: 2700 W

PERFORMANCE / ENERGY LABEL

Energy efficiency class: A • Net volume of the cavity: 70 litres • GAS - Energy consumption in conventional mode: 3.92 MJ •

Energy consumption per cycle in conventional mode: 1.09 KWh • GAS - Energy consumption in forced air convection: 2.88 MJ •

Energy consumption per cycle in fan-forced convection: 0.80 KWh

PERFORMANCE /ENERGY LABEL - SECOND CAVITY

Energy efficiency class, second cavity: A • GAS - Energy consumption in conventional mode, second cavity: 2.66 MJ • Energy consumption per cycle in conventional mode, second cavity: 0.74 KWh • Net volume of the second cavity: 35 litres

ELECTRICAL CONNECTION

Voltage: 220-240 V • Nominal power (W): 5700 W • Frequency (Hz): 50/60 Hz

LOGISTIC INFORMATION

Dimensions of the product (mm): 884x597x570 • Net weight (kg): 61.900 kg

ACCESSORIES INCLUDED

Chrome shelf with back and side stop: 3Extra deep enamelled tray (40mm): 2Telescopic Guide rails, partial Extraction: 1Grill mesh: 2

ACCESSORIES INCLUDED FOR SECONDARY OVEN

Full glass inner door: Yes

